

2017 ELECTRICAL SERVICES

EVENT NAME: _____ EVENT DATES: _____

VENDOR NAME: _____ TODAYS DATE: _____

Mailing Address _____

_____ Phone Number _____

Building _____ Booth Number(s) _____

120 Volt Outlets

Shared outlet

	<u>Discount Price</u>	or	<u>Floor Price (if available)</u>
____ 500 watt single outlet @	\$50.00	or	\$70.00
____ 1000 watt single outlet @	\$65.00	or	\$100.00
____ 1500 watt single outlet @	\$75.00	or	\$110.00

Single outlet

	<u>Discount Price</u>	or	<u>Floor Price</u>
____ 2250 watt single outlet @	\$100.00	or	\$135.00

208 Volt Outlets Single Phase

____ 20 amp outlet,	@	\$110.00	or	\$150.00
____ 30 amp outlet,	@	\$130.00	or	\$180.00
____ 50 amp outlet,	@	\$200.00	or	\$250.00
____ 60 amp outlet,	@	\$250.00	or	\$300.00

208 Volt 3 Phase

Will be charged by labor & materials.

**Please enclose a check for electrical service *made payable to:*
Washington State Fair**

Visa/MC/Discover Cards Accepted

Card # _____

Exp. Date _____

Authorized Signature _____




**110 9th Ave. SW
Puyallup, WA 98371-0162
253-845-1771
253-841-5390 - Fax**

If service is available, Floor orders must be paid for in cash at the time of order. To receive discount prices, orders must be received by Fairgrounds and paid for at least seven (7) days before the setup date.







G:\Facilities Rental\WORDDATA\Electrical Order Forms\Elec Order Master 2017.doc

Our standard cord and/or receptacle configurations.

2 POLE / 3 WIRE

125V	250V	
20A	20A	30A
L5-20	L6-20	L6-30
		



2 POLE / 3 WIRE

125V				250V			
15A	20A	30A	50A	15A	20A	30A	50A
5-15	5-20		5-50	6-15	6-20		6-50
							

Our voltage is 120/208 3-phase 4-wire.





These configurations should be followed to prevent hazardous conditions.

4 POLE / 5 WIRE

3ØY	
120/208V	
20A	30A
L21-20	L21-30
	

125/250 means there is a neutral wire and a ground wire.

3 POLE / 4 WIRE

125/250V		125/250V	
20A	30A	20A	30A
L14-20	L14-30	L15-20	L15-30
			

3Ø250V or 250V means there is no neutral, ground only.

3 POLE / 4 WIRE

125/250V		3Ø250V			
50A	60A	15A	20A	30A	50A
14-50		15-30	15-50		
